

A
REPORT
OF THE
SANITARY CONDITION
OF
LEICESTER,
IN 1874,
BY
J. WYATT CRANE, M.D.,



MEM. ROYAL COLL. PHYS. LOND. ; PHYSICIAN TO THE LEICESTER
INFIRMARY AND FEVER HOUSE, &c., &c.

OFFICER OF HEALTH.

LEICESTER :
PRINTED BY J. & T. SPENCER, BOOKSELLERS, &c.
MARKET PLACE AND CANAL STREET.



Digitized by the Internet Archive
in 2017 with funding from
Wellcome Library

<https://archive.org/details/b29724831>

To the Sanitary Authority of the Borough of Leicester.

GENTLEMEN,

I estimate the Population of Leicester *at the end* of 1874 at 108,921, and I am happy to be able to inform you that the mortality of the Borough during the year 1874, is only fractionally higher than that of last year,—itself the lowest I have recorded.

The total number of deaths in 1874 amount to 2558, to which number must be added six deaths of inhabitants of Leicester who died during 1874, in the Borough Hospital in Freake's Ground, and 23 in the Lunatic Asylum at Humberstone, who were also previously inhabitants of Leicester, making altogether 2587 deaths; from which must be deducted 32 deaths in the Infirmary and Fever House, of patients who were brought there from the country, and thirty-five in the County Lunatic Asylum of persons likewise from the County. (The Asylum itself as you are aware being within the limits of the Borough.) The actual mortality of inhabitants of the Borough would therefore be 2520, or 23·3 per thousand of the estimated population, at the end of 1874, which is the *lowest of all the Manufacturing Towns* in England, and one of the lowest of the non-manufacturing Towns.

I may take this opportunity of remarking that the ratio of mortality for the Borough of Leicester, as published in the Registrar General's Weekly Return, is calculated from the deaths actually registered within the Borough, *without*

any correction, either from deaths of Borough Residents occurring outside the Borough, or for deaths of extra municipal Residents occurring within the Borough.

MARRIAGES.

The number in each Quarter was as follows :—

| | | |
|---------------|-------|------|
| March Quarter | | 191 |
| June | „ | 302 |
| September | „ | 213 |
| December | „ | 374 |
| TOTAL | | 1080 |

BIRTHS.

The Birth-rate for the year 1874 was as follows :—

| | | |
|---------------|-------|------|
| March Quarter | | 1178 |
| June | „ | 1117 |
| September | „ | 1097 |
| December | „ | 983 |

Making altogether 4375, and an excess of births over deaths (corrected) of 1855 ; and a diminution of births as compared with last year of 77. The number of births in the March Quarter being as usual the most numerous.

On referring to the Table which I have given this year of the *ages* at death from all causes, it will be seen that the deaths under five years amount to 1243, or very nearly half the deaths of the whole population from five years upwards. And having been requested to state my opinion of the cause of this great infantile mortality, the first step I think is to ascertain what are the diseases to which the deaths are attributable ; and the next to enquire whether the disease is *really* the cause of death, or whether it is not

the antecedent state of the sufferer which causes the *fatal* termination. Let us enquire then what is the malady which is the most fatal to the infantile population. On referring to the Table we shall find that it is Atrophy and Debility ; and from this disease alone in 1874, 220 children perished within the first year of life, and only 13 in the second. They were in fact, born dying, and no carefully selected diet or medical skill could avert the inevitable result ; not even the nursing on the mother's milk alone. This then, is a disease entirely dependant on congenital debility. Turning to our Table again, to ascertain what disease is the next in its fatality to infants, we find that from Diarrhœa alone, 218 deaths took place before the first year of life was completed, and 31 more before the second year was entered upon, (that is from one up to two years of age), making 482 deaths from these two diseases alone. And I believe that both may be referred to one and the same cause, viz., the weakly constitution of the patients.

That it is heat which gives rise to summer diarrhœa is, I believe, now almost generally acknowledged. The Society of Medical Officers of Health, in London, met last year to consider the question, and their verdict was, I believe, almost unanimous in the affirmative. I may here perhaps, be excused for quoting what I wrote in my report for the year 1868, as to the manner in which heat acts in setting up the disease. [Page 23.]

“I believe then simple *heat* is the cause of summer Diarrhœa in this Country ; that all ages are affected by it ; that in the strong and robust it easily yields to treatment, or even to diet ; but in weakly children it runs a different

and a longer course, and that in them the strong recover, and the weak succumb. The mode in which heat acts in predisposing to the occurrence of Diarrhœa, and in keeping it up in the weak, is, I conceive, by inducing a relaxation and atony of the whole system, and of the digestive organs in particular, so that the stomach is unable to digest certain articles of food, which at other times in a lower temperature, would be digested without difficulty, that these articles of food passing from the stomach in an undigested state, set up irritation in the mucous membrane of the bowels, and consequent Diarrhœa (an effort of nature to expel them). That in weakly children, this irritation of the mucous membrane of the intestine once induced, is kept up even by the simplest food, so that it cannot be digested, and the child dies from weakness, the result of want of nourishment and of the diarrhœal discharges. To account for the greater prevalence of the disease and greater mortality in some towns than in others, we must, I think, take into consideration two circumstances—the situation of the town, and the vigour of its infantile inhabitants. As heat is presumed to be the predisposing cause, the cases will be fewer in towns which are spacious, airy, situated in hilly districts, or by the seaside, and still more so, where the infants are robust, as in the country; on the other hand the cases will be more numerous, and the mortality greater in thickly peopled towns, with a debilitated population, as in most of our large seats of manufacturing industry.” If such be the effect then of suitable and proper food, how much must the disease be aggravated by food unsuitable for the digestion of an infant. The Sanitary Authority being deeply impressed by these considerations,

at the beginning of last year, referred the question of the most suitable infantile diet to Drs. Clarke, Sloane, and myself ; Dr. Marriott was also consulted ; & recommendations were agreed to, which were ordered to be printed and widely circulated ; this is effected principally through the medium of the Local Registrars, who were requested to give a copy to each individual who came to their offices to register the Birth of a child. I do not doubt but that this plan will have a most salutary effect.

A large section of the public believe that summer Diarrhoea is generated by the insanitary state of the town where it prevails ; I dissent entirely from this view of the case, and believe that summer Diarrhoea is not a Zymotic disease, but is generated in the mode I have stated.—Dr. Buck, in the Report which he has recently published of the health of the combined Districts of Leicester, states that the number of deaths from Diarrhoea in the purely agricultural Districts, is extremely small, and yet many of these Districts have no proper sewerage, and their sanitary state generally, cannot be compared to that of Leicester. How is it possible then, I ask, to reconcile these facts with the favourite hypothesis that the *deaths* from Diarrhoea are caused by the insanitary state of the town where they occur. And why have the inhabitants of *Country* Districts an almost complete immunity from the mortality which devastates the *manufacturing* towns. The solution of this question I think, has been hitherto obscured by confounding the causation of the *disease*, with the *causes* of its *mortality* ; two circumstances entirely distinct from each other.

The disease itself is *caused* in the manner I have before stated ; it attacks indiscriminately all localities, all ages, and all classes, but is *fatal* (as the Tables I have given prove) only in the *extremes* of age, that is, in those who have not stamina to resist its debilitating effects. And if this be true, it accounts for the difference in the mortality being so much greater in towns than in the Country Districts, and so much higher in manufacturing towns than in others.

The Country Districts owing their immunity from its fatality to the vigour of constitution, which is inherent in an hereditarily robust population, whose lives and those of their offspring are passed in the open air.

The inhabitants of factory towns on the other hand, owe their debility to the gradual degeneration of themselves, and their forefathers and mothers by a factory life, until a race is generated which is so debile as to be unable to resist the first shock of disease, whatever aspect it may assume. Hence, as I hinted when speaking of atrophy and debility, the identity which exists in the *cause* of the *mortality* of *both* diseases.

ZYMOTIC DISEASES.

SMALL POX.—It is a subject of congratulation that this year there has not been a death from Small Pox, and I believe not a single case ; last year there were only two.

MEASLES.—The deaths have amounted to 24, the lowest number that I have recorded since the year 1867. I fear that this year will not pass away without an outbreak in an epidemic form.

SCARLATINA.—Several cases of this disease have occurred during the year, but they have generally been of a mild form ; there were 2 deaths in the first quarter, 1 in the second, 4 in the third, and 11 in the fourth. 1 death also occurred in the Borough Hospital, making 19 as the total mortality during the year.

DIPHTHERIA.—I am happy to be able again to announce only 8 deaths from Diphtheria during, the year.

CROUP.—The deaths from Croup have been 17, one less than last year.

WHOOPIING COUGH.—Also shows a considerable decline in numbers, the mortality was less by 40 deaths than in 1874.

ENTERIC FEVER.—Shows a diminution of 3 deaths, as compared with the preceding year ; the number registered having been 39, which includes 4 deaths of Country people who died in the Fever House ; and deducting these 4 deaths, the true mortality will be 35 ; the deaths last year having been 41.

TYPHUS FEVER.—3 deaths from Fever thus designated were registered in 1874. The number in 1873 having been two.

FEVER NOT SPECIFIED.—The number registered this year has been 6 ; showing a diminution of 3 as compared with last year.

ERYSIPELAS.—This disease has been more prevalent and fatal in 1874 than in any previous year. The deaths have

amounted to 31 registered, and to 4 in the Borough Hospital, making altogether 35. I have visited all the houses where it occurred, and have been unable to discover any adequate cause for its existence; and although it is considered to be infectious, have met with no cases that would corroborate the theory. Although there can be no doubt that traumatic Erysipelas is so in a high degree.

METRIA OR PUERPERAL PERITONITIS.—There have been 16 deaths from this disease. The total deaths from childbirth and the diseases of childbirth *together*, amounted to 11. Last year, there was no separate return of Puerperal Peritonitis. It is supposed that the contagium of Erysipelas or Searlatina, when imbibed by a female recently confined, will give rise to Puerperal Fever; whether this theory is correct or not, I cannot say from my own experience, and have very strong doubts of its accuracy; but if it were true, the unusual prevalence of Erysipelas would to some extent account for the increase of deaths from Puerperal Fever during the year. But however this may be, there can be little doubt that a person going from the bedside of a female who is suffering from Puerperal Fever to the bedchamber of a lying-in woman, will most probably infect her with that terrible disease, which is almost uniformly fatal.

DIARRHŒA AND DYSENTERY.—The deaths have amounted to 257; last year they were 314; in 1872, 305; and in 1871, 303; which shows a considerable improvement, (without taking into consideration the increase of population during these years); and I hope it may be indicative of increasing vigour in the rising generation.

RHEUMATISM.—There are 18 deaths registered as arising from this cause. Last year there were only 4 ; but the return is very variable, for the reasons I stated in my Report last year.

ALCOHOLISM.—There have been 2 deaths from excessive drinking ; the number is the same as last year. The deaths caused by the *indirect* effects of drinking are, I may repeat, included among the diseases to which the habit has given rise.

THRUSH.—The deaths have amounted to 12 ; the number last year having been ten.

CONSTITUTIONAL DISEASES.

DROPSY.—The deaths have been only 7 ; last year they were 13 ; in 1872, 16 ; and in 1871, 25 ; It is doubtful however, whether any *real* diminution has taken place, as dropsy is a result or an accompaniment of many diseases of the heart, chest, and kidneys, which have been returned under their respective names.

CANCER.—I regret to say that the deaths from Cancer have increased to 47, which is the highest I have recorded ; the deaths last year were 36.

MESENTERIC DISEASE.—The number of deaths have been 26 ; last year they were only 16, but this amount is much below the usual average.

CONSUMPTION.—I am happy again this year to have to note a decrease of 22 deaths, as compared with last year, when they were 232, which was the lowest number that

had been recorded since the year 1866. This is another indication of increasing vigour and stamina in the rising generation.

HYDROCEPHALUS.—The deaths this year only amount to 7. The lowest number I have ever recorded has been 17, in the year 1868. The remark which I have just made, is equally applicable to this disease as it is to Phthisis.

DISEASES OF THE NERVOUS SYSTEM.—The deaths from Inflammation of the Brain, Spine, and Membranes, are again 19, the same as last year, which was the lowest for eight years.

LOCAL DISEASES.

APOPLEXY.—There is an increase from this disease ; the deaths having amounted to 60 this year ; the number last year having been 40.

PARALYSIS.—On the other hand, we have a considerable decrease in the deaths from Paralysis, the number having been 33, the lowest number recorded since 1866, when they amounted to 44.

EPILEPSY.—The deaths only have been 8 ; last year they were 14. Many of these deaths occurred as they generally do, in the Lunatic Asylum.

CONVULSIONS.—The deaths have amounted to 189 ; last year they were 187. This is one of those infantile diseases, which is due to Congenital Debility, and improper diet.—Including all the diseases of the nervous system, the number is 396, as compared with 360 in 1873, and 330 in 1872.

DISEASES OF THE HEART.

These diseases also show a slight increase. The number of deaths having been 139 in 1874, 134 in 1873, 116 in 1872, and 114 in 1871.

DISEASES OF THE RESPIRATORY ORGANS.

BRONCHITIS.—The deaths have been 199 from this disease in 1874, of which 76 were under five years of age. This is a decrease with reference to 1873, when they amounted to 203 ; in 1872, they were only 172 ; in 1871, they were 220 ; and in 1870, 205.

PNEUMONIA, or Inflammation of the Lungs. There is also a decrease in the deaths from this disease, from 146 in 1873, to 130 in 1874 ; of these deaths, 67 were under five years of age. 146 was the highest number they had attained in any of the preceding eight years.

PLEURISY.—The deaths have amounted to 7 ; and from Asthma to 13. The deaths from other affections of air passages, not specified, have been 20.

DISEASES OF THE DIGESTIVE ORGANS.

GASTRITIS, or Inflammation of the Stomach. There have been 3 deaths ; and in 1873, 2 ; in no year since 1866 have they exceeded 7.

ENTERITIS—Inflammation of the Bowels.—The deaths have been 30 in 1874 ; (twenty of which were under five years of age) ; in 1873, 19 ; and in 1872, 17 ; in 1871, they were 23.

PERITONITIS.—The deaths have amounted to 24 ; (none of these deaths were under five years of age) ; in 1873, they were 15. From other diseases of Stomach and bowels, there were 27 deaths ; causes not specified.

LIVER DISEASES.—There were 29 deaths entered under this head, in 1874 ; 15 in 1873.

KIDNEY AND URINARY DISEASES.

NEPHRIA OR ALBUMINURIA.—Ten deaths from this disease were recorded in 1874, 6 in 1873, 14 in 1872, and 16 in 1871. The ages at death were from five years to seventy-five years.

DIABETES.—5 deaths occurred in 1874, and 5 in 1873 ; in 1870 the deaths amounted to 6, which was the highest number in the last 9 years.

DISEASE OF KIDNEY.—9 deaths are recorded in these general terms, the particular affection not being specified. The total deaths in this order in 1874, amounted to 43 ; in 1873, to 32 ; and in 1872, to 37.

DEVELOPMENTAL DISEASE.

PREMATURE BIRTH.—The number of these cases amounted to 76 in 1874, which is an increase upon the previous year, when they amounted to 54 ; and in 1872, to 67.

TEETHING.—The deaths in 1874, were 22 ; in 1873, 31. From Childbirth and diseases of ditto, (not including Puerperal Peritonitis or Metria, which is classified among the Zymotic Diseases, and already treated of,) there were 10 deaths in 1874, and 11 in 1873.

OLD AGE.—The deaths in 1874, 152 ; 126 in 1873 ; 148 in 1872.

ATROPHY AND DEBILITY.—The deaths in 1874 have amounted to 239, of which 234 were under five years of age. The number of deaths in 1873, were 223 ; and in 1872, 256 ; in 1871, 255. Having already alluded to the deaths from this cause, it is unnecessary to recur to the subject here.

ACCIDENTS AND NEGLIGENCE.

The deaths in 1874, have been 34 ; in 1873, 65 ; in 1872, 36. They, of course, are subject to no general law, and fluctuate from year to year.

SUICIDES.

These have been 9 in 1874, as compared with 5 in 1873, and 14 in 1872.

SERGEANTS BUXTON AND BRAYLEY report that the number of Houses, Premises, &c., inspected have been ... 1223

RESULTS OF INSPECTION—

Orders issued for Sanitary Amendments of Houses & Premises 885

| | | |
|---|---|-----|
| Houses and Premises, &c., Cleansed, Repaired, and | } | 319 |
| Whitewashed | | |

HOUSE DRAINS—

| | | | | | | |
|-------------------------|-----|-----|-----|-----|-----|-----|
| Repaired, Cleansed, &c. | ... | ... | ... | ... | ... | 214 |
|-------------------------|-----|-----|-----|-----|-----|-----|

PRIVIES AND WATER CLOSETS—

| | | | | | | |
|-------------------------|-----|-----|-----|-----|-----|-----|
| Repaired, Cleansed, &c. | ... | ... | ... | ... | ... | 682 |
|-------------------------|-----|-----|-----|-----|-----|-----|

| | | | | | | |
|--------------|-----|-----|-----|-----|-----|----|
| WATER SUPPLY | ... | ... | ... | ... | ... | 12 |
|--------------|-----|-----|-----|-----|-----|----|

MISCELLANEOUS—

| | | |
|---|---|----|
| No. of Lodging Houses registered under 35th Clause of | } | 33 |
| Sanitary Act, 1866 | | |

| | | |
|---|-----|------|
| No of Dust Complaints received and attended to... | ... | 6608 |
|---|-----|------|

| | | |
|--|---|----|
| Removal of accumulation of Dung, Stagnant Water, | } | 10 |
| Animal and Other Refuse | | |

| | | | | |
|------------------------------------|-----|-----|-----|----|
| Removal of Animals improperly kept | ... | ... | ... | 29 |
|------------------------------------|-----|-----|-----|----|

| | | | |
|--|-----|-----|----|
| Licensed Slaughterhouses regularly inspected | ... | ... | 80 |
|--|-----|-----|----|

| | | | |
|--|-----|-----|---|
| Other Proceedings, <i>e.g.</i> , Legal Proceedings | ... | ... | 6 |
|--|-----|-----|---|

30 Stokers have been reported during 1874 ; 7 have been fined, the rest cautioned by the Sanitary Committee.

1 Lodging House Keeper was fined for refusing to admit the Inspector, and also for having an excess of lodgers.

6 Persons have been summoned before the Magistrates for neglecting to comply with Orders made by the Sanitary Authority, for removal of Nuisances ; of these, three were fined, and the other three withdrawn, on payment of costs.

TABLE No. 1.

**Shewing the Population, Inhabited Houses, Births,
Deaths, and Marriages, for the Year 1874,
and ten years from 1865 to 1874.**

GROSS NUMBERS.

| Population * Estimated at the middle of the Year. | No. of Inhabited Houses in Parish or District. | Births. | Deaths.** | Marriages. |
|--|---|---------|-----------|------------|
| 1875—109,830 | ... | ... | ... | ... |
| 1874—106,202 | 21,515 | 4375 | 2548 | 1080 |
| 1873—102,515 | 21,082 | 4452 | 2478 | 1209 |
| 1872— 99,143 | 20,460 | 4154 | 2674 | 1174 |
| 1871— 95,882 | 19,827 | 3819 | 2570 | 1105 |
| 1870— 92,750 | 19,350 | 3800 | 2597 | 990 |
| 1869— 91,500 | 18,603 | 3760 | 2347 | 949 |
| 1868— 90,000 | 18,086 | 3589 | 2507 | 998 |
| 1867— 86,000 | 17,479 | 3500 | 2119 | 932 |
| 1866— 83,750 | 16,920 | 3412 | 1945 | 1013 |
| 1865— 80,500 | 16,034 | 3226 | 2035 | 997 |
| Average of ten years } 1865—1874 } | 18,930·6 | 3808·7 | 2382·0 | 1044·7 |

NOTES.—1. Population at Census 1871, 95,083.

2. Area in acres, 3200.

3. Average number of Persons in each house at Census 1871, 4·79.

* For statistical purposes the Registrar General estimates the population to the middle of the year on the basis of the rate of increase ruling between the two preceding Census periods. The estimate of population may be checked by the known number of inhabited houses, and by the average number of inmates per house, as ascertained at the preceding Census.

** The deaths of non-parishioners in public institutions within the parish should be deducted, but a proportion of the deaths occurring in General Hospitals, relative to the population of the parish or district, should be added to the total number of deaths in this column.

TABLE No. 2.

Shewing the Annual Birth Rate, Rate of Mortality, Death Rates among Children, and Deaths in Public Institutions, for the Year 1874, and 10 Years preceding.

| | Birth Rate per 1000 of the Population. | Annual Rate of Mortality per 1000 living. | Deaths of Children under 1 year : per centage of Total deaths. | Per centage of Deaths of Children under 1 year to Registered Births. | Deaths of Children above 1 year and under 5 years: per centage of Total Deaths. | Total number of deaths in Public Institutions. | |
|---|--|---|--|--|---|--|---------------|
| | | | | | | Of In-habitants of the Borough. | Of Strangers. |
| 1874—106,202 | 41.195 | 23.992 | 38.226 | 22.262 | 49.175 | 23 | 67 |
| 1873—102,515 | 43.427 | 23.013 | 37.449 | 20.844 | 53.672 | ... | ... |
| 1872—99,143 | 41.899 | 26.262 | 35.938 | 23.134 | 50.373 | ... | ... |
| 1871—95,882 | 39.830 | 25.841 | 37.509 | 25.242 | 52.957 | ... | ... |
| 1870—92,750 | 40.970 | 27.374 | 34.474 | 23.526 | 54.630 | ... | ... |
| 1869—91,500 | 41.092 | 25.125 | 36.736 | 22.9 | 51.597 | ... | ... |
| 1868—90,000 | 39.877 | 27.855 | 36.737 | 25.661 | 57.199 | ... | ... |
| 1867—86,000 | 40.693 | 24.426 | 37.376 | 22.628 | 51.439 | ... | ... |
| 1866—83,759 | 40.740 | 23.433 | 35.989 | 20.515 | 48.74 | ... | ... |
| 1865—80,500 | 40.74 | 25.279 | 33.120 | 20.892 | 50.909 | ... | ... |
| 1864—78,337 | ... | ... | ... | ... | ... | ... | ... |
| Average of 10 years, } 1864—1874 | 40.979 | 25.26 | 36.35 | 22.76 | 52.07 | ... | ... |

TABLE No. 3.

Shewing the Mortality from certain Classes of Diseases,
and proportions to Population, and to
1000 deaths, 1874

| | Total Deaths. | Deaths per 1000 of Population. | Proportion of Deaths to 1000 deaths. |
|---|---------------|--------------------------------------|--|
| 1. Seven Principal Zymo- totic Diseases ... } | 399 | 3·756 | 156·593 |
| 2. Pulmonary Diseases.. (<i>Other than Phthisis</i>) | 364 | 3·427 | 142·857 |
| 3. Tubercular Diseases... | 244 | 2·297 | 95·761 |
| 4. Wasting Diseases of } Infants ... } | 315 | 2·966 | 123·626 |
| 5. Convulsive Diseases } of Infants ... } | 265 | 2·495 | 140·003 |

NOTES.

1. Includes Smallpox, Measles, Scarlet Fever, Diphtheria, Whooping Cough, Fever, and Diarrhœa.
2. Includes Bronchitis, Pneumonia, Pleurisy, Laryngitis, Asthma, Lung Disease.
3. Includes Phthisis, Scrofula, Rickets, and Tabes.
4. Includes Marasmus, Atrophy, and Debility, want of Breast Milk, and Premature Birth.
5. Includes Hydrocephalus, Infantile Meningitis, Convulsions, and Teething.

TABLE No. 5.

Shewing the Number of deaths from the seven principal Zymotic Diseases, in the 10 Years
1865 to 1874, and in the Year 1874.

| Disease. | 1874 | 1873 | 1872 | 1871 | 1870 | 1869 | 1868 | 1867 | 1866 | 1865 | Annual Average of 10 years, 1865-1874 | Proportion of Deaths to 1000 Deaths in 10 years, 1865-1874 | 1874. | Proportion of Deaths to 1000 Deaths in 1874. |
|----------------------|------|------|------|------|------|------|------|------|------|------|--|--|-------|---|
| Smallpox | 0 | 2 | 366 | 12 | 0 | 0 | 1 | 2 | 3 | 10 | 39.6 | 16.624 | 0 | .0 |
| Measles | 24 | 62 | 36 | 35 | 42 | 43 | 247 | 2 | 13 | 86 | 59.0 | 24.769 | 24 | 9.419 |
| Scarlet Fever | 18 | 6 | 5 | 112 | 263 | 8 | 9 | 40 | 9 | 8 | 47.8 | 20.067 | 18 | 7.064 |
| Diphtheria | 8 | 9 | 2 | 7 | 11 | 9 | 10 | 3 | 3 | 3 | 66 | 2.77 | 8 | 3.532 |
| Whooping Cough | 43 | 64 | 51 | 32 | 56 | 70 | 6 | 62 | 46 | 20 | 447 | 18.765 | 43 | 15.698 |
| Fever | 48 | 55 | 64 | 65 | 52 | 57 | 63 | 49 | 57 | 56 | 569 | 23.887 | 48 | 20.015 |
| Diarrhoea | 257 | 314 | 305 | 303 | 240 | 272 | 349 | 209 | 147 | 226 | 2622 | 110.075 | 257 | 100.863 |
| Total | 398 | 512 | 829 | 566 | 664 | 459 | 685 | 367 | 278 | 409 | 516.8 | 216.957 | 398 | 156.591 |

TABLE No. 4.

| Class.—Order. | | Zymotic Diseases. | | | | | | | | | | | | | Total |
|---------------|--------------------------------------|-------------------|--------|---------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|---------------------|-------|
| I.—I. | 0 to 1 | 1 to 2 | 2 to 5 | 5 to 15 | 15 to 25 | 25 to 35 | 35 to 45 | 45 to 55 | 55 to 65 | 65 to 75 | 75 to 85 | 85 to 95 | 95 to 100 | Total under 5 years | Total |
| I.—I. | Small Pox ... | 7 | 6 | 8 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Measles ... | 1 | 6 | 8 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Scarlatina ... | 1 | ... | 5 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Quincy ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Whooping Cough ... | 20 | 15 | 8 | 8 | 3 | 6 | 3 | 2 | 1 | 1 | ... | ... | ... | ... |
| | Euteric Fever ... | 2 | ... | 1 | 1 | 2 | 4 | ... | ... | ... | ... | ... | ... | ... | ... |
| | Typhus Fever ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Fever not specified... | ... | 1 | 1 | 2 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Erysipelas ... | 11 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Metria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| II. | Carbuncle ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Influenza... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Diarrhea and Dysentery | 218 | 31 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Cholera ... | ... | ... | 2 | 2 | 5 | 5 | 2 | ... | ... | ... | ... | ... | ... | ... |
| | Rheumatism ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Other Zymotic Diseases | 3 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Syphilis ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Hydrophobia | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Glands ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Alcoholism | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| III. | Delirium Tremens ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Purpura ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Rickets ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Other Diseases of this Order | 12 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Thrush ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Worms ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Parasitic Diseases | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Other Diseases of this Order | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Gout ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Dropsy ... | 1 | ... | 1 | 1 | 1 | 2 | 7 | 11 | 16 | 8 | 1 | ... | ... | ... |
| IV. | Cancer ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Epithelioma | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Mortification | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Bed Sore | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Other Diseases of this Order | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Scrofula ... | 1 | 5 | 1 | 2 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... |
| | Tabs Mesenterica ... | 17 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Psoas Abscess | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Phthisis ... | 19 | 4 | 2 | 1 | 3 | 1 | ... | ... | ... | ... | ... | ... | ... | ... |
| | Tubercular Peritonitis | 2 | 3 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| V. | Hydrocephalus ... | 2 | 3 | 3 | 1 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Other Diseases of this Order | 6 | 3 | 2 | 6 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Congestion of Brain | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Inflammation of Brain | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Spine and Membranes | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Softening of Brain ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Apoplexy | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Tetanus ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Paralysis ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Disease of Spine ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| VI. | Epilepsy ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Chorea ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Convulsions | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Insanity ... | 157 | 25 | 7 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Other Diseases of Brain, Spine, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Disease of Heart, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Pericarditis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Syncope ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Aneurism | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Valvular Disease of Heart | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| VII. | Hypertrophy | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Hæmorrhage | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Hæmoptysis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Anæmia ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Thrombosis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Diseases of the Air Passages | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Bronchitis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Croup ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Pleurisy ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Pneumonia | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| VIII. | Asthma ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Laryngitis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Laryngismus Stridulus | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Disease of Pancreas | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Other Diseases of this Order | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Gastritis ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Hæmatemesis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Enteritis ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Melæna ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Peritonitis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| IX. | Hernia ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Obstruction of Bowels | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Fistula ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Perforation of Intestine | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Other Diseases of Stomach and Bowels | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Jaundice | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Cirrhosis ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Hepatitis... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Other Disease of Liver, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Gall Stones | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| X. | Nephria (Albuminuria) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Ischuria ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Diabetes ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Stone in Bladder | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Cystitis ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Prostatic Disease | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Diseases of Kidney... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Stricture ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Nephritis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Other Diseases of this Order | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| XI. | Diseases of Uterus, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Ovarian Disease | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Diseases of Joints, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Arthritis Necrosis ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Skin Diseases | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Pyæmia ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Phlegmon | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Abscess ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Premature Birth | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Protracted Birth | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| XII. | Cyanosis... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Spina Bifida | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Other Malformations | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Teething | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Child Birth | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Puerperal Peritonitis or Metria | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Flooding | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Convulsions Puerperal | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Phlegmasia Dolens... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Placenta Previa | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| XIII. | Other Diseases of this Order | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Old age ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Atrophy and Debility | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Accident or Negligence | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Murder and Manslaughter | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Suicide ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Execution | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Sudden Death, cause not stated | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Cause not specified or ill defined | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | Total | 16 | 2 | 4 | 3 | 8 | 6 | 5 | 4 | 5 | 6 | 4 | ... | 22 | 1252 |

TABLE No. 6.

Showing Deaths from Consumption at different Ages, in each month of the Year 1874.

| AGE. | Jan. | Feb. | Mar. | Total 1st Qr. | April | May | June | Total 2nd Qr. | July | Aug. | Sep. | Total 3rd Qr. | Oct. | Nov. | Dec. | Total 4th Qr. | Total for the year. |
|-------------------|------|------|------|------------------|-------|-----|------|------------------|------|------|------|------------------|------|------|------|------------------|------------------------|
| Under 1 day... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1 day to 1 week | 1 | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | 7 |
| 1 week to 1 month | ... | 1 | ... | 2 | ... | ... | ... | ... | 5 | 1 | 2 | 3 | 4 | ... | ... | 2 | 11 |
| 1 month to 6... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | 1 | ... | ... | 1 | 3 |
| 6 months to 12 | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | 1 | 1 | 1 | ... | ... | ... | 1 |
| 1 year to 2 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 years to 3 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 " 4 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 " 5 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 " 10 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 " 15 ... | 2 | 1 | ... | 3 | 1 | 1 | ... | 2 | 1 | ... | 2 | 3 | 2 | ... | 2 | 2 | 5 |
| 15 " 20 ... | 2 | 1 | 2 | 5 | 3 | 1 | 4 | 8 | 1 | 1 | 1 | 2 | 1 | ... | ... | 3 | 10 |
| 20 " 30 ... | 5 | 5 | 6 | 16 | 7 | 8 | 3 | 18 | 3 | 5 | 5 | 13 | 3 | 8 | 6 | 17 | 17 |
| 30 " 40 ... | 4 | 6 | 4 | 14 | 3 | 3 | 2 | 9 | 3 | 1 | 1 | 5 | 4 | ... | 2 | 6 | 64 |
| 40 " 50 ... | 2 | 1 | 5 | 8 | 2 | 4 | 6 | 13 | 1 | 2 | 2 | 5 | 1 | 3 | 3 | 7 | 34 |
| 50 " 60 ... | 3 | ... | 1 | 4 | 4 | 1 | 1 | 6 | 1 | 1 | 2 | 4 | 3 | ... | 2 | 5 | 33 |
| 60 " 70 ... | ... | 1 | ... | 1 | 1 | 1 | 1 | 3 | ... | ... | ... | ... | ... | ... | ... | ... | 19 |
| 70 " 80 ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| 80 " 90 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 90 and upwards | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Age not stated... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Totals ... | 20 | 16 | 18 | 55 | 22 | 19 | 18 | 61 | 16 | 11 | 18 | 45 | 20 | 13 | 16 | 49 | 210 |

TABLE No. 8.

Showing Deaths from Typhus Fever, at different Ages, in each Month of the Year 1874.

| AGE. | Jan. | Feb. | Mar. | Total 1st Qr. | April | May | June | Total 2nd Qr. | July | Aug. | Sep. | Total 3rd Qr. | Oct. | Nov. | Dec. | Total 4th Qr. | Total for the year. |
|----------------------|------|------|------|------------------|-------|-----|------|------------------|------|------|------|------------------|------|------|------|------------------|------------------------|
| Under 1 day... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1 day to 1 week ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1 week to 1 month .. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1 month to 6 .. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 months to 12 .. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1 year to 2 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | 1 |
| 2 years to 3 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 " 4 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 " 5 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 " 10 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 1 |
| 10 " 15 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 15 " 20 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 20 " 30 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 30 " 40 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 40 " 50 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 50 " 60 ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | 1 |
| 60 " 70 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 70 " 80 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 80 " 90 ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 90 and upwards | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Age not stated | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Totals ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | 1 | 1 | 1 | 2 | 3 |

TABLE No. 10.

Shewing Deaths from Enteric Fever, at different Ages in each month of the Year 1874.

| AGE. | Jan. | Feb. | Mar. | Total 1st Qr. | April | May | June | Total 2nd Qr. | July | Aug. | Sep. | Total 3rd Qr. | Oct. | Nov. | Dec. | Total 4th Qr. | Total for the year. |
|-------------------|------|------|------|------------------|-------|-----|------|------------------|------|------|------|------------------|------|------|------|------------------|------------------------|
| Under 1 day | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 1 day to week | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1 week to 1 month | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1 month to 6 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 months to 12 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1 year to 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 years to 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 " 4 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 " 5 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 " 10 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 " 15 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 15 " 20 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 20 " 30 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 30 " 40 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 40 " 50 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 50 " 60 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 60 " 70 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 70 " 80 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 80 " 90 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 90 and upwards | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Age not stated | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Totals | 3 | 1 | 3 | 7 | 1 | 2 | 1 | 4 | 2 | 6 | 3 | 11 | 5 | 7 | 5 | 17 | 39 |

TABLE No. 11.

Shewing deaths from Diarrhoea, at different ages, in each Month of the Year 1874.

| AGE. | Jan. | Feb. | Mar. | Total 1st Qr. | April | May | June | Total 2nd Qr. | July | Aug. | Sep. | Total 3rd Qr. | Oct. | Nov. | Dec. | Total 4th Qr. | Total for the year. |
|-------------------|------|------|------|------------------|-------|-----|------|------------------|------|------|------|------------------|------|------|------|------------------|------------------------|
| Under 1 day | ... | ... | ... | ... | ... | ... | ... | ... | 7 | 9 | 1 | 17 | ... | ... | ... | ... | 17 |
| 1 day to 1 week | ... | ... | ... | ... | ... | ... | ... | ... | 44 | 42 | 16 | 112 | ... | ... | 1 | ... | 130 |
| 1 week to 1 month | ... | ... | ... | ... | ... | ... | ... | ... | 17 | 31 | 14 | 62 | ... | ... | ... | ... | 71 |
| 1 month to 6 | ... | ... | ... | ... | ... | ... | ... | ... | 8 | 11 | 9 | 28 | ... | ... | ... | ... | 30 |
| 6 months to 12 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1 year to 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 years to 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 " 4 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 " 5 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 " 10 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10 " 15 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 15 " 20 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 20 " 30 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 30 " 40 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 40 " 50 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 50 " 60 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 60 " 70 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 70 " 80 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 80 " 90 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 90 and upwards | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Age not stated | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Totals | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 4 | 1 | ... | 5 | 6 | ... | 1 | 8 | 78 | 107 | 41 | 226 | 10 | 7 | 1 | 18 | 257 |

TABLE No. 12.

List of Streets in which Deaths from Consumption
have occurred, and number in each, 1874.

| | | | |
|----------------------------|---|-----------------------------|---|
| A | | Craven-street | 2 |
| Andrew-street | 1 | Curzon-street | 3 |
| Archdeacon-lane and Courts | 3 | Crane-street | 1 |
| Arthur-street | 1 | D | |
| Ashwell-street | 1 | Danett's-street | 1 |
| Asylum-street | 2 | Denman-street | 1 |
| Augustine Friars | 1 | Denmark-street | 1 |
| Argyle-street | 1 | Dover-street | 1 |
| Asylum (County) | 1 | E | |
| B | | Eaton-street | 1 |
| Bakehouse-lane | 1 | Evington-street | 3 |
| Barwell-street | 1 | Elm-street | 1 |
| Bedford-street | 1 | F | |
| Belgrave Gate and Courts | 7 | Fleet-street | 1 |
| Blake-street | 1 | Foxton-street | 1 |
| Blue Boar-lane | 1 | Framland-street | 1 |
| Bow Bridge-street | 1 | Free-lane | 2 |
| Brown-street and Courts | 2 | Friar's-causeway | 1 |
| Brook-street | 2 | Flint-street | 1 |
| Brunswick-street | 3 | Freemans' Common, road C | 1 |
| Burgess-street | 1 | G | |
| Burley's-lane | 1 | Gartree-street | 2 |
| Birstall-street | 2 | George-street | 1 |
| Byron-street | 1 | George-street, Wharf-street | 1 |
| Buckingham-street | 2 | Gladstone-street | 2 |
| C | | Gold-street | 1 |
| Camden-street | 1 | Gower-street | 1 |
| Canning-place | 1 | Gravel-street | 1 |
| Cardigan-street | 1 | Gray-street, Mill-lane | 1 |
| Carley-street | 1 | Grove-street | 1 |
| Chesnut-street | 1 | Do- Lower | 1 |
| Chatham-street | 1 | Guthlaxton-street | 1 |
| Chester-street | 2 | Granville-terrace | 1 |
| Christow-street | 1 | H | |
| Church-gate | 2 | Harding-street | 1 |
| Do. lower and street | 1 | Hastings-street | 2 |
| Clara-street | 1 | Havelock-street | 1 |
| Cobden-street | 1 | Henshaw-street | 2 |
| Colton-street | 1 | | |
| Crafton-street | 1 | | |

TABLE No. 12.—*Continued.*

| | | | |
|-----------------------------|---|------------------------|---|
| Higheross-street | 1 | P | |
| Hall-street | 1 | Palmerstone-street | 2 |
| Humberstone-gate & Courts | 1 | Pingle-street | 1 |
| I | | Peel-street | 1 |
| Infirmary | 6 | Q | |
| J | | Queen-street | 2 |
| Jarrom-street | 1 | R | |
| Junior-street | 1 | Royal Kent-street | 1 |
| K | | Russel-street | 1 |
| King-street | 1 | Russel square | 1 |
| Knighton-street | 3 | Rodney-terrace | 1 |
| Kate-street | 2 | Redeross-street | 1 |
| King Richard's-road | 2 | Regent-street | 1 |
| L | | S | |
| Laneaster-street | 1 | Sanvey-gate and Courts | 3 |
| Lee-street | 3 | Southampton-street | 1 |
| Little-street | 1 | Southgate-street | 1 |
| Lord-street | 1 | Spittlehouse-street | 2 |
| M | | St. George-street | 1 |
| Magazine-square | 1 | St. Nicholas-square | 1 |
| Market-street | 1 | St. Nicholas-street | 1 |
| Market-place | 1 | St. Peter's-lane | 2 |
| Mansfield-street | 1 | Sussex-street | 2 |
| Melville-terrace | 2 | Syston-street | 5 |
| Millstone-lane | 1 | Swan-street | 1 |
| N | | T | |
| Navigation-street | 1 | Talbot-lane | 1 |
| Nelson-street | 1 | Talbot-square | 1 |
| Do. square | 1 | Temple-row | 1 |
| New-lane | 1 | U | |
| New Bridge-street | 1 | Union Workhouse | 2 |
| New-road | 1 | W | |
| New-walk | 2 | Walnut-street | 1 |
| Noble-street | 1 | Wanlip-street | 1 |
| Northgate-street and Courts | 6 | Waring-street | 1 |
| Norton-square | 1 | Warrington-street | 1 |
| O | | Waterloo-street | 1 |
| Olive Hill | 1 | Welford-road | 1 |
| Osbourne-street | 1 | Wellington-street | 1 |
| Oxford-street and Courts | 2 | Wharf-street | 2 |
| Orchard-row | 1 | | |

TABLE No. 12.—*Continued.*

| | | | | |
|-----------------|---|-------------|-----|-----|
| Wheat-street | 1 | Y | | |
| Wigston-street | 1 | York-street | | 1 |
| William-street | 1 | York-square | | 1 |
| Willow-street | 4 | | | |
| Woodgate-street | 1 | | | |
| Wood-street | 2 | | | |
| Woodboy-street | 1 | | | |
| Willow Cottages | 1 | Total | ... | 210 |

TABLE No. 13.

List of Streets in which deaths from Enteric Fever have occurred, and number in each, 1874.

| | | | |
|--------------------------|---|----------------------------|-----|
| A | | I | |
| Applegate-street | 1 | Infirmery | 8 |
| Asylum-street | 1 | (Of which 4 where from the | |
| Archdeacon-lane | 1 | Country.) | |
| Argyll-street | 1 | L | |
| Arthur-street | 1 | Lead-street | 1 |
| B | | N | |
| Britannia-street | 1 | Northgate-street | 1 |
| Bond-street, New | 1 | Northumberland-street | 1 |
| Belgrave-gate | 1 | P | |
| Bonner's-lane and Courts | 2 | Porter-street | 1 |
| Bond-street, East | 1 | Providenee-place | 1 |
| C | | R | |
| Cheapside | 1 | Royal East-street | 1 |
| Causeway-lane | 1 | T | |
| Chester-street and yards | 2 | Taylor-street | 1 |
| Curzon-street | 1 | U | |
| D | | Underhill-street | 1 |
| De Montfort-square | 1 | W | |
| G | | Wheat-street | 1 |
| Gresham-street | 1 | Willow Cottages | 1 |
| H | | Willow-street, Lower | 1 |
| Hutchinson-street | 1 | Wood-street | 1 |
| | | Total | ... |
| | | | 39 |

TABLE No. 14.

List of Streets in which deaths from Fever not specified have occurred, and number in each, 1874.

| | | | | | |
|-------------------|-----|-----|-----|-----|---|
| C | | | | | |
| Chester-street | ... | ... | ... | ... | 1 |
| Curzon-street | ... | ... | ... | ... | 1 |
| G | | | | | |
| Guthlaxton-street | ... | ... | ... | ... | 1 |
| N | | | | | |
| Narborough-road | ... | ... | ... | ... | 1 |
| P | | | | | |
| St. Peter's-lane | ... | ... | ... | ... | 1 |
| S | | | | | |
| Sanvey-gate | ... | ... | ... | ... | 1 |
| Total | | | | | 6 |

TABLE No. 15.

List of Streets in which deaths from Typhus Fever have occurred, and number in each, 1874.

| | | | | | |
|-------------------|-----|-----|-----|-----|---|
| C | | | | | |
| Catesby-street | ... | ... | ... | ... | 1 |
| Palmerston-street | ... | ... | ... | ... | 1 |
| Syston-street | ... | ... | ... | ... | 1 |
| Total | | | | | 3 |

TABLE No. 16.

List of Streets in which deaths from Scarlatina have occurred, and number in each, in 1874.

| | | | |
|------------------|---|-------------------|----|
| A | | G | |
| Alma Cottages | 1 | Garton-street | 1 |
| Albert-street | 1 | Grosvenor-street | 1 |
| B | | H | |
| Belgrave-road | 1 | Humberstone-road | 1 |
| Brierly-street | 1 | K | |
| C | | Knighton-street | 1 |
| Chatham-street | 1 | L | |
| Chancery-street | 1 | Liverpool-street | 1 |
| Crab-street | 1 | London-road | 1 |
| Clipstone-street | 1 | N | |
| F | | New Bridge-street | 1 |
| Friar's Causeway | 1 | Old Mill-lane | 1 |
| | | Warrington-street | 1 |
| | | Total | 18 |

TABLE No. 17.

List of Streets in which deaths from Erysipelas have occurred,
and numbers in each, in 1874.

| A | | L | |
|---------------------|---|------------------------------|----|
| Alice-street | 1 | Leadenhall-street | 1 |
| Argyll Cottage | 1 | Laxton-street | 1 |
| B | | M | |
| Bow Bridge-street | 1 | Marquis-street | 1 |
| Brunswick-street | 1 | R | |
| Belgrave-road | 1 | Rayns-street | 1 |
| Bradgate-street | 1 | Ruding-st., (Braunstone-gt.) | 1 |
| Bay-street | 1 | Richard-street | 1 |
| Bond-street, East | 1 | S | |
| Braunstone-gate | 1 | Sanvey-gate | 1 |
| C | | Slate-street | 1 |
| Clinton-street | 1 | Syston-street | 1 |
| Clara-street | 1 | U | |
| Curzon-street | 1 | Union Workhouse | 1 |
| F | | W | |
| Fleet-street | 1 | Willow-street | 1 |
| Frog Island | 1 | Watling-street | 1 |
| H | | Woodboy-street | 1 |
| High-cross-street | 1 | Total | |
| K | | | 30 |
| King Richard's Road | 1 | | |

TABLE No. 18.

List of Streets in which deaths from Diarrhœa, have occurred,
and numbers in each, in 1874.

| A | | B | |
|--------------------------|---|----------------------------|---|
| Abbey-street | 1 | Baker-street | 1 |
| Do. Lower | 1 | Bedford-street, and Courts | 4 |
| Albert-street | 1 | Belgrave-gate and Courts | 2 |
| Albion-hill | 1 | Benford-street | 1 |
| Albion-street | 2 | Birkley-street | 1 |
| Alfred-place and Terrace | 2 | Bond-street, New | 1 |
| Andrew-street | 2 | Braunstone-gate | 3 |
| Archdeacon-lane | 1 | Britannia-street | 3 |
| Asylum-street | 1 | Brook-street | 5 |
| Argyll-street | 2 | Brown-street | 2 |

TABLE No. 18.—*Continued.*

| | |
|-------------------|---|
| Brunswick-street | 1 |
| Burgess-street | 1 |
| Burley's-lane | 3 |
| Birstall-street | 4 |
| Buckingham-street | 1 |

C

| | |
|---------------------------|---|
| Calais-hill | 1 |
| Canning-place | 1 |
| Catesby-street | 1 |
| Cardigan-street | 3 |
| Caroline-street | 2 |
| Charles-street and Courts | 2 |
| Chatham-street | 1 |
| Chesnut-street | 1 |
| Chester-street | 5 |
| Clinton-street | 1 |
| Clipstone-street | 1 |
| Colton-streets and Courts | 1 |
| Coventry-street | 3 |
| Crab-street | 1 |
| Craven-street | 1 |
| Curzon-street | 3 |
| Cranbourne-street | 2 |
| Charnwood-street | 1 |

D

| | |
|-----------------------|---|
| Dannett's-street | 1 |
| Denman-street | 5 |
| Denmark-terrace | 1 |
| Dover-street, Court D | 1 |
| Dun's-lane | 2 |
| Diamond-street | 1 |

E

| | |
|----------------|---|
| Emerald-street | 1 |
|----------------|---|

F

| | |
|------------------------|---|
| Forest-street | 1 |
| Freemans' Common | 1 |
| Foundry-square | 1 |
| Friday-street Cottages | 1 |
| Fuller-street | 3 |
| Frank-street | 1 |

G

| | |
|----------------------------|---|
| Gallowtree-gate | 1 |
| Garton-street and Cottages | 2 |
| Gas-street | 1 |
| George-street | 1 |
| Gladstone-street | 1 |
| Gold-street | 1 |
| Gower-street | 1 |
| Grange-lane and Courts | 2 |
| Gravel-street | 3 |
| Grosvenor-street | 2 |
| Grove-street | 1 |
| Guthlaxton-street | 2 |
| Gresham-street | 1 |

H

| | |
|------------------------------|---|
| Harcourt-street | 1 |
| Havelock-street | 2 |
| High Cross-street and Courts | 3 |
| High-street | 1 |
| The Hollow | 1 |
| Great Holme-street | 1 |
| Holme-street, W. | 1 |
| Humberstone-gate | 1 |

J

| | |
|----------------|---|
| Jarrom-street | 1 |
| Johnson-street | 1 |
| Junction-road | 1 |

K

| | |
|---------------------|---|
| Knighton-street | 3 |
| King Richard's-road | 1 |

L

| | |
|----------------------------|---|
| Laxton-street | 2 |
| Leadenhall-street and yard | 3 |
| Leamington-street | 1 |
| Lewin-street | 3 |
| Lincoln-street | 2 |
| Liverpool-street | 2 |
| London-road | 1 |
| Little-street | 2 |

TABLE No. 18.—*Continued.*

| M | | S | |
|------------------------------|---|--------------------------------|-----|
| Marston street | 1 | Sandacre-street | 1 |
| Metcalf-street | 1 | Sanvey-gate | 2 |
| Middle-street | 1 | Shenton-street | 1 |
| Mill-lane | 4 | St. Leonard's-street | 1 |
| N | | Silver-street, Holmes' yard | 1 |
| Napier-street | 4 | Sparkenhoe-street | 1 |
| Navigation-street | 2 | Spittlehouse-street | 2 |
| Nelson-street | 1 | St. George's-street | 1 |
| New Bridge-street | 1 | St. Margaret's-st., Pegg's yd. | 1 |
| New-lane | 1 | St. Peter's-lane | 2 |
| New Park-street | 2 | Stanley-street | 2 |
| Newport-place | 1 | Swan-street | 2 |
| New-road | 1 | Swaffham-street | 1 |
| Northgate-street, Court M | 1 | Syston-street | 4 |
| Northampton-street | 1 | T | |
| Northumberland-street | 1 | Talbot-lane, Court B | 2 |
| O | | Taylor-street | 2 |
| Oxford-street and Court M | 2 | Thames-street | 2 |
| Old Mill-lane | 1 | Thomas-street | 1 |
| Olive-street | 1 | U | |
| Orchard-street Savage's yd. | 1 | Union Workhouse | 1 |
| P | | V | |
| Paddock-street | 1 | Vine-street Lower | 1 |
| Painter-street | 1 | W | |
| Palmerstone-street | 2 | Walnut-street | 1 |
| „ „ Melville-terrace | 1 | Waring-street | 1 |
| Pasture-lane | 1 | Waterloo-street | 1 |
| Pike-street | 3 | Watling-street | 1 |
| Pingle-street | 1 | Wellington-street | 1 |
| Providence-place | 1 | West-street | 1 |
| Q | | Wharf-street | 2 |
| Queen-street, Clark's yard | 1 | Wheat-street | 4 |
| R | | Willow-street | 3 |
| Raglan-street | 2 | Wood-street | 1 |
| Rathlone-place | 1 | Woodboy-street | 2 |
| Redcross-street, Court C | 1 | Y | |
| Rodney-street | 1 | York-street | 1 |
| Ruding-street | 2 | York-square | 2 |
| Ruding-street, Narboro'-road | 1 | Total | |
| Russel-street | 2 | | — |
| Rutland-street | 3 | | 257 |

SPENCER'S
NEW MAP OF
LEICESTER,

FROM A SPECIAL SURVEY

CORRECTED TO

1876

PUBLISHED BY J & T SPENCER, 20, MARKET PLACE
LEICESTER



REFERENCE

Divisions of Parishes

Divisions of Wards

WARDS

- St Martin's
- North St Margaret's
- Middle St Margaret's
- East St Margaret's
- East St Mary's
- West St Mary's
- All Saints

